

	according to Regulation (EC) No 1907/2006		
Asplit® CN Powder			
Revision date: 10.11.2017	Product code: 00359-1165	Page 1 of 8	
SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Asplit® CN Powder ArtNo.			
592 0010			
1.2. Relevant identified uses	s of the substance or mixture and uses advised against		
Use of the substance/mix filler	ixture		
1.3. Details of the supplier o			
Company name: Street:	TIP TOP Oberflaechenschutz Elbe GmbH Heuweg 4		
Place:	D-06886 Wittenberg		
Telephone:	+49(0)3491/635-50 Telefax: +49(0)3491/635-552		
Responsible Department:			
1.4. Emergency telephone number:	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111		
SECTION 2: Hazards iden	ntification		
2.1. Classification of the sub	hstance or mixture		
Hazard Statements: Causes skin irritation.	on: Skin Irrit. 2 /eye irritation: Eye Dam. 1		
Causes serious eye da	lamage.		
Causes serious eye da 2.2. Label elements	lamage.		
2.2. Label elements Regulation (EC) No. 1272/2	2008		
2.2. Label elements	2008 Iabelling Iphonic acid		
2.2. Label elements Regulation (EC) No. 1272/2 Hazard components for I 4-Hydroxybenzenesul	2008 Iabelling Iphonic acid		
2.2. Label elements Regulation (EC) No. 1272/2 Hazard components for I 4-Hydroxybenzenesulp Sodium hydrogensulp	2008 Iabelling Iphonic acid ohate		
2.2. Label elements Regulation (EC) No. 1272/2 Hazard components for I 4-Hydroxybenzenesulp Sodium hydrogensulp Signal word:	2008 Iabelling Iphonic acid ohate		
2.2. Label elements Regulation (EC) No. 1272/2 Hazard components for I 4-Hydroxybenzenesul Sodium hydrogensulpl Signal word: Pictograms:	2008 Iabelling Iphonic acid ohate		
2.2. Label elements Regulation (EC) No. 1272/2 Hazard components for I 4-Hydroxybenzenesul Sodium hydrogensulpl Signal word: Pictograms: Hazard statements H315 H318 Precautionary statements	2008 Iabelling Iphonic acid bate Danger Causes skin irritation. Causes serious eye damage. Is		
2.2. Label elements Regulation (EC) No. 1272/2 Hazard components for I 4-Hydroxybenzenesul Sodium hydrogensulph Signal word: Pictograms: Hazard statements H315 H318 Precautionary statements P280	2008 Iabelling Iphonic acid bhate Danger Causes skin irritation. Causes serious eye damage. ts Wear protective gloves/protective clothing/eye protection/face protection.		
2.2. Label elements Regulation (EC) No. 1272/2 Hazard components for I 4-Hydroxybenzenesul Sodium hydrogensulpl Signal word: Pictograms: Hazard statements H315 H318 Precautionary statements	2008 Iabelling Iphonic acid bate Danger Causes skin irritation. Causes serious eye damage. Is		

GB - EN







according to Regulation (EC) No 1907/2006

Asplit® CN Powder

Revision date: 10.11.2017

Product code: 00359-1165

Page 2 of 8

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

Dust may form explosive mixture in air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of the following substances with non-hazardous admixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
98-67-9	4-Hydroxybenzenesulphonic acid			< 5 %
	202-691-6		01-2119538813-35	
	Met. Corr. 1, Skin Corr.			
7681-38-1	Sodium hydrogensulphate			< 5 %
	231-665-7	016-046-00-X	01-2119552465-36	
	Eye Dam. 1; H318			
108-95-2	Phenol			< 1 %
	203-632-7	604-001-00-2	01-2119471329-32	
	Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, STOT RE 2; H341 H331 H311 H301 H314 H373			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove and wash contaminated clothing before re-use.

After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. In the event of symptoms refer for medical treatment.

After contact with skin

In case of contact with skin wash off immediately with plenty of water. Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical treatment by eye specialist.

After ingestion

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Never give anything by mouth to an unconscious person.

Call a physician immediately.

Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

Revision No: 1,1

GB - EN



Print date: 10.11.2017



according to Regulation (EC) No 1907/2006

Asplit[®] CN Powder

Revision date: 10.11.2017

Product code: 00359-1165

Page 3 of 8

Causes skin irritation.

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Dust may form explosive mixture in air. Fire may produce: Carbon monoxide (CO), carbon dioxide (CO2) and sulphur oxides (SOx)

5.3. Advice for firefighters

In case of fire, wear suitable respiratory equipment with positive air supply. Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid the formation and deposition of dust. In case of respirable dust, use a self-contained breathing apparatus. Ensure adequate ventilation. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Where possible recycling is preferred to disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Avoid the formation and deposition of dust.

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Advice on protection against fire and explosion

Dust may form explosive mixture in air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.





according to Regulation (EC) No 1907/2006

Asplit® CN Powder

Revision date: 10.11.2017

Product code: 00359-1165

Page 4 of 8

Advice on storage compatibility

No materials to be especially mentioned.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

filler

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-95-2	Phenol	2	7.8		TWA (8 h)	WEL
		4	16		STEL (15 min)	WEL

Additional advice on limit values

Obey TLV for common dust, if applicable.

8.2. Exposure controls

Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Protective and hygiene measures

Do not breathe dust.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

Eye/face protection

Safety goggles with side protection (EN 166). Eve wash bottle with pure water (EN 15154).

Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

Dust mask (EN 149)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Powder
Colour:	Black
Odour:	Odourless

Test method



Print date: 10.11.2017



according to Regulation (EC) No 1907/2006

	Asplit® CN Powder	
Revision date: 10.11.2017	Product code: 00359-1165	Page 5 of
Changes in the physical state		
Flash point:	n.a.	
Lower explosion limits:	n.a.	
Upper explosion limits:		
Ignition temperature:	n.a.	
Density (at 20 °C):	~ 1,99 g/cm³	
Water solubility: (at 20 °C)	More or less insoluble	
9.2. Other information		
No data available.		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
No decomposition if stored and applie	d as directed.	
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No hazardous reactions known.		
<u>10.4. Conditions to avoid</u> Avoid the formation and deposition of Dust may form explosive mixture in air		
10.5. Incompatible materials No materials to be especially mentioned	ed.	
10.6. Hazardous decomposition products		
No hazardous decomposition products Fire may produce:	s known.	
Carbon monoxide, carbon dioxide, sul	phur oxides.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity		
Based on available data, the classifica	ation criteria are not met.	
No toxicological data available.		
Irritation and corrosivity Causes skin irritation.		
Causes serious eye damage.		
Sensitising effects Based on available data, the classifica	ation criteria are not met.	
Carcinogenic/mutagenic/toxic effects fo Based on available data, the classifica	r reproduction	
STOT-single exposure Based on available data, the classifica		
STOT-repeated exposure		
Based on available data, the classification	ation criteria are not met.	
evision No: 1,1	GB - EN	Print date: 10.11.2017



according to Regulation (EC) No 1907/2006

Asplit® CN Powder

Revision date: 10.11.2017

Product code: 00359-1165

Page 6 of 8

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

080299

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Where possible recycling is preferred to disposal.

Waste disposal number of waste from residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.







according to Regulation (EC) No 1907/2006

Asplit® CN Powder		
Revision date: 10.11.2017	Product code: 00359-1165	Page 7 of 8
Inland waterways transport (ADN)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
No dangerous good in sense of this	transport regulation.	
14.7. Transport in bulk according to Anne		
No dangerous good in sense of this	transport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	gulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	0 %	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant of nursing mothers.	ons
Water contaminating class (D):	1 - slightly water contaminating	


15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods IATA/ICAO = International Air Transport Association / International Civil Aviation Organization MARPOL = International Convention for the Prevention of Pollution from Ships IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk







according to Regulation (EC) No 1907/2006

Asplit[®] CN Powder

Revision date: 10.11.2017

Product code: 00359-1165

Page 8 of 8

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
------	-----------------------------

- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- H341 Suspected of causing genetic defects.
- H373 May cause damage to organs through prolonged or repeated exposure.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

