

according to Regulation (EC) No 1907/2006

TIP TOP FLUID BEAD LUBRICANT

Revision date: 29.06.2017

Product code: 00156-0393

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TIP TOP FLUID BEAD LUBRICANT

Art.-No.

514 4980, 514 4985, 514 4986

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Agent to fit on tyres

#### 1.3. Details of the supplier of the safety data sheet

Company name:	REMA TIP TOP AG
Street:	Gruber Strasse 65
Place:	D-85586 Poing
Telephone:	+49 (0) 8121 / 707 - 100
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de
<u>1.4. Emergency telephone</u> number:	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24 24

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

### Additional advice on labelling

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

# 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## **Chemical characterization**

Aqueous solution

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

# After inhalation

Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.

## After contact with skin

Wash off with soap and plenty of water. Consult a doctor if skin irritation persists.

### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids.



according to Regulation (EC) No 1907/2006

# TIP TOP FLUID BEAD LUBRICANT

Revision date: 29.06.2017

Product code: 00156-0393

Page 2 of 7

If eye irritation persists, consult a specialist.

## After ingestion

Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Consult a physician. Induce vomiting only upon the advice of a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

May cause eye or skin irritation with susceptible persons. May cause sensitization of susceptible persons by skin contact.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

#### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

# 5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

### Additional information

Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

# 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

# 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Keep container tightly closed. Avoid contact with the skin and the eyes.

#### Advice on protection against fire and explosion

No special protective measures against fire required.



according to Regulation (EC) No 1907/2006

# TIP TOP FLUID BEAD LUBRICANT

Revision date: 29.06.2017

Product code: 00156-0393

Page 3 of 7

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

### Advice on storage compatibility

Incompatible with strong acids and oxidizing agents.

### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

## 7.3. Specific end use(s)

Agent to fit on tyres

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
57-55-6	Propane-1,2-diol, particulates	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

# Additional advice on limit values

No data available.

## 8.2. Exposure controls

# Protective and hygiene measures

Avoid contact with eyes and skin.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove soiled or soaked clothing immediately.

## Eye/face protection

Safety goggles with side protection (EN 166).

# Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

### **Skin protection**

Long sleeved clothing (EN 368).

# Respiratory protection

No personal respiratory protective equipment normally required.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Colourless
Odour:	Mild

Test method



according to Regulation (EC) No 1907/2006

	TIP TOP FLUID BEAD LUBRICANT	
Revision date: 29.06.2017	Product code: 00156-0393	Page 4 of 7
pH-Value:	7,5 - 8,5	
Changes in the physical state		
Flash point:	n.a.	
Lower explosion limits: Upper explosion limits:	n.d.	
Ignition temperature:	n.d.	
Density (at 20 °C):	1,0 g/cm³	
Water solubility: (at 20 °C)	Completely miscible	
Viscosity / dynamic: (at 20 °C)	850 - 1150 mPa·s	

# 9.2. Other information

No data available.

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No decomposition if stored and applied as directed.

## 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Reactions with acids and strong oxidizing agents.

#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

# 10.5. Incompatible materials

Strong acids and oxidizing agents

# 10.6. Hazardous decomposition products

Carbon monoxide, carbon dioxide, sulphur oxides.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# TIP TOP FLUID BEAD LUBRICANT

Revision date: 29.06.2017

Product code: 00156-0393

Page 5 of 7

# Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

## Practical experience

## Other observations

May cause eye or skin irritation with susceptible persons. May cause sensitization of susceptible persons by skin contact.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

### 12.6. Other adverse effects

Low hazard to waters.

### Further information

Ecological injuries are not known or expected under normal use. Do not flush into surface water or sanitary sewer system.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# Advice on disposal

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

#### Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

#### Contaminated packaging

Land transmart (ADD/DID)

Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

## **SECTION 14: Transport information**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

	TIP TOP FLUID BEAD LUBRICANT	
Revision date: 29.06.2017	Product code: 00156-0393 Page	e 6 of 7
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
No dangerous good in sense of this	transport regulation.	
14.7. Transport in bulk according to Anne	x II of Marpol and the IBC Code	
No dangerous good in sense of this	transport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	gulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	< 5 %	
National regulatory information		
Water contaminating class (D):	1 - slightly water contaminating	
15.2. Chemical safety assessment		
	assessment has not been carried out.	
SECTION 16: Other information		
RID = Règlement concernant le tran	ansport international des marchandises Dangereuses par Route sport international ferroviaire de marchandises dangereuses ansport international des marchandises dangereuses par voie de navigation intérieur for Dangerous Goods	ire

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

- REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
- CAS = Chemical Abstract Service
- EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative



according to Regulation (EC) No 1907/2006

# TIP TOP FLUID BEAD LUBRICANT

Revision date: 29.06.2017

Product code: 00156-0393

Page 7 of 7

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

# **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)