REMATIP TOP AG

Revision date: 12.05.2015 **TIP TOP PLASTIC-CLEAN**  Revision No: 2.1



00156-0037

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

TIP TOP PLASTIC-CLEAN

Art.-No.

593 0209

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Plastic polish

### 1.3. Details of the supplier of the safety data sheet

**REMATIP TOP AG** Company name: Street: Gruber Strasse 63 Place: D-85586 Poina Telephone +49 (0) 8121 / 707 - 0 Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24 number:

24

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

This mixture is not classified as hazardous according to Directive 1999/45/EC.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

# 2.2. Label elements

# Special labelling of certain mixtures

**EUH210** Safety data sheet available on request.

# Additional advice on labelling

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws. In handling, does not keep a fire ablaze in any way, therefore exempt of classification.

### 2.3. Other hazards

Not known.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# Chemical characterization

Aqueous cleansing agent with isopropanol

REMATIP TOP AG

Revision date: 12.05.2015
TIP TOP PLASTIC-CLEAN

Revision No: 2,1



00156-0037

#### **Hazardous components**

Chemical name	Quantity
Classification according to Directive 67/548/EEC	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Ethanol	< 10 %
F - Highly flammable R11	
Flam. Liq. 2, Eye Irrit. 2; H225 H319	
Propan-2-ol	< 10 %
F - Highly flammable, Xi - Irritant R11-36-67	
Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	
Sodium alkylbenzenesulfonates	< 5 %
Xi - Irritant R36/38	
Skin Irrit. 2, Eye Irrit. 2; H315 H319	
	Classification according to Directive 67/548/EEC Classification according to Regulation (EC) No. 1272/2008 [CLP]  Ethanol F - Highly flammable R11 Flam. Liq. 2, Eye Irrit. 2; H225 H319  Propan-2-ol F - Highly flammable, Xi - Irritant R11-36-67 Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336  Sodium alkylbenzenesulfonates Xi - Irritant R36/38

Full text of R-, H- and EUH-phrases: see section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

# After inhalation

Move victim to fresh air.

If you feel unwell, seek medical advice.

#### After contact with skin

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

### After contact with eyes

Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

#### After ingestion

Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

A longer or repeated contact my lead to irritation of eyes and mucous membranes.

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Product is ignitable, but does not keep burning.

Fire-extinguishing activities according to surrounding.

# Unsuitable extinguishing media

Full water jet.

# 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide, carbon dioxide and sulphur oxides.

REMATIP TOP AG

00156-0037

Revision date: 12.05.2015

**TIP TOP PLASTIC-CLEAN** 



### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

#### **Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

Revision No: 2.1

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Attention. Hazard of skidding.

Avoid contact with skin, eyes and clothing.

Keep away from sources of ignition - No smoking.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

Do not discharge into the subsoil/soil.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

Avoid contact with the skin and the eves.

Use only in well-ventilated areas.

# Advice on protection against fire and explosion

No special protective measures against fire required.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

# Advice on storage compatibility

Incompatible with oxidizing agents.

# Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

Plastic polish

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
İ		-	-		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

### 8.2. Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

REMATIP TOP AG

00156-0037

Revision date: 12.05.2015
TIP TOP PLASTIC-CLEAN

Revision No: 2,1



# Protective and hygiene measures

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

#### Eye/face protection

Safety goggles (EN 166).

### Hand protection

Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove < Camatril Velours 730> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

### Skin protection

Long sleeved clothing (EN 368).

### Respiratory protection

No personal respiratory protective equipment normally required.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Greenish-blue

Odour: Fruity
pH-Value: 10
Melting point: < 0 °C

Initial boiling point and boiling range: approx. 90 °C

Flash point: 38 °C (\*)

Lower explosion limits: 2 vol. %

Upper explosion limits:

Density (at 20 °C): 1,005 g/cm<sup>3</sup>

Water solubility: Completely miscible

(at 20 °C)

Ignition temperature: > 425 °C
Viscosity / dynamic: 1 mPa·s

Viscosity / dynamic: (at 20 °C)

Solvent content: < 15 %

### 9.2. Other information

(\*) Product is ignitable, but does not keep burning.

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No decomposition if stored and applied as directed.

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

# 10.4. Conditions to avoid

Keep away from heat and sources of ignition.

### 10.5. Incompatible materials

oxidizing agents

### 10.6. Hazardous decomposition products

Carbon monoxide, carbon dioxide, sulphur oxides.

Print date: 12.05.2015 GB - EN Page 4 of 7

REMATIP TOP AG

Revision date: 12.05.2015

TIP TOP PLASTIC-CLEAN

Revision No: 2,1



**SECTION 11: Toxicological information** 

### 11.1. Information on toxicological effects

#### Acute toxicity

00156-0037

Based on available data, the classification criteria are not met.

No toxicological data available.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

### **Practical experience**

#### Other observations

A longer or repeated contact my lead to irritation of eyes and mucous membranes.

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecological data are not available.

### 12.2. Persistence and degradability

Propan-2-ol; Ethanol

Readily biodegradable (to OECD criteria).

# 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

#### 12.6. Other adverse effects

Low hazard to waters.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

### Waste disposal number of waste from residues/unused products

070699

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Print date: 12.05.2015 GB - EN Page 5 of 7

REMATIP TOP AG

00156-0037

Revision date: 12.05.2015

TIP TOP PLASTIC-CLEAN

Revision No: 2,1



Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

**SECTION 14: Transport information** 

Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO); Inland waterways transport (ADN)

#### 14.1. UN number:

No hazardous material as defined by the transport regulations.

### 14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

#### 14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

### 14.4. Packing group:

No hazardous material as defined by the transport regulations.

### 14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

### 14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No hazardous material as defined by the transport regulations.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

1999/13/EC (VOC):

< 15 %

### National regulatory information

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

#### Relevant R-phrases (Number and full text)

Highly flammable.Irritating to eyes.

36/38 Irritating to eyes and skin.

Vapours may cause drowsiness and dizziness.

Print date: 12.05.2015 GB - EN Page 6 of 7

REMATIP TOP AG

Revision date: 12.05.2015 Revision No: 2,1

**TIP TOP PLASTIC-CLEAN** 

00156-0037



### Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
EUH210 Safety data sheet available on request.

### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)