Product code: 00156-0124

Revision No: 2.02



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

TIP TOP RUBBER EASY REP Art.-No.

515 9073

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Sealing compound

1.3. Details of the supplier of the safe	ty data sheet
Company name:	REMA TIP TOP AG
Street:	Gruber Strasse 63
Place:	D-85586 Poing
Telephone:	+49 (0) 8121 / 707 - 0
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de
<u>1.4. Emergency telephone</u> number:	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories: Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Reproductive toxicity: Repr. 1B Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Highly flammable liquid and vapour. Causes skin irritation. May cause drowsiness or dizziness. May damage the unborn child. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

Naphtha (petroleum) Ethylene thiourea Signal word:

Pictograms:

Danger



Hazard statements

Highly flammable liquid and vapour.
Causes skin irritation.
May cause drowsiness or dizziness.
May damage the unborn child.
Toxic to aquatic life with long lasting effects.
Toxic to aquatio ino that long labaring choice.
nents
nents
nents Obtain special instructions before use.

Revision date: 19.06.2015	Revision No: 2,02
Product code: 00156-0124	



P280 P303+P361+P353	Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P273	Avoid release to the environment.
P405	Store locked up.
2.3 Other hazards	

2.3. Other hazards

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation with aliphatic hydrocarbons

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regul	ation (EC) No. 1272/2008 [C	LP]	
64742-49-0	Naphtha (petroleum) [Hydrocarbo n-hexane]	ons, C6-C7, n-alkanes, iso-al	kanes, cyclic compounds, < 3%	< 30 %
	921-024-6		01-2119475514-35	
	Flam. Liq. 2, Skin Irrit. 2, STOT S H411	E 3, Asp. Tox. 1, Aquatic Ch	ronic 2; H225 H315 H336 H304	
64742-49-0	Naphtha (petroleum) [Hydrocarbo	ons, C6, isoalkanes, < 3% n-	nexane]	< 10 %
	931-254-9		01-2119484651-34	
	Flam. Liq. 2, Skin Irrit. 2, STOT S H411	E 3, Asp. Tox. 1, Aquatic Ch	ronic 2; H225 H315 H336 H304	
1314-13-2	Zinc oxide			< 2,5 %
	215-222-5	030-013-00-7	01-2119463881-32	
	Aquatic Acute 1, Aquatic Chronic	1; H400 H410		
96-45-7	Ethylene thiourea			< 1 %
	202-506-9	613-039-00-9	01-2119541697-28	
	Repr. 1B, Acute Tox. 4; H360D H	302		

Full text of H and EUH phrases: see section 16.

Further Information

SVHC substance [Regulation (EC) No 1907/2006, Article 57]: Ethylene thiourea According to note P to the regulation (EC) no. 1272/2008, "Naphta (petroleum)" is not to be classified as "carcinogenic" or "mutagen" ingredient because a benzene content (EINECS No. 200-753-7) is below 0.1 % by weight.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. In the event of persistent symptoms receive medical treatment. Take away from danger area and lay down affected person.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. If you feel unwell, seek medical advice.

After contact with skin

Wash off immediately with soap and plenty of water. Treat subsequently with skin cream. Consult a doctor if skin irritation persists.

Revision date: 19.06.2015 Product code: 00156-0124 Revision No: 2,02



After contact with eyes

If eye irritation persists, consult a specialist. Rinse immediately with plenty of water, also under the eyelids.

After ingestion

Do not induce vomiting. Summon a doctor immediately. Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

May damage the unborn child. Causes skin irritation. May cause drowsiness or dizziness. Attention. Beware, danger of aspiration.

<u>4.3. Indication of any immediate medical attention and special treatment needed</u> Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce: Carbon monoxide, carbon dioxide, sulphur oxides and nitrogen oxides (NOx).

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Vapours are heavier than air and spread along ground. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Use personal protective clothing. Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water. Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal. Clean contaminated surface thoroughly.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Revision date: 19.06.2015 Revision No: 2,02 Product code: 00156-0124



Keep a good ventilation and air-exhaust at the place of work. Use only in thoroughly ventilated areas. Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition. Do not smoke.

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Sealing compound

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1333-86-4	Carbon black	-	3.5		TWA (8 h)	WEL
		-	7		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not inhale vapours.

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Take off immediately all contaminated clothing.

Eye/face protection

Tightly fitting goggles (EN 166).

Hand protection

Protective gloves resistant to chemicals made of nitrile, minimum coat thickness 0.4 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove < Camatril Velours 730> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	pasty
Colour:	Black

Revision date: 19.06.2015 Product code: 00156-0124 Revision No: 2,02



Odour:	Hydrocarbon-like	
Changes in the physical state		
Initial boiling point and boiling range:	63 - 100 °C	
Flash point:	- 20 °C	
Lower explosion limits:	0,8 vol. %	
Upper explosion limits:		
Ignition temperature:	260 °C	
Vapour pressure: (at 20 °C)	250 hPa	
Density (at 20 °C):	0,84 g/cm³	
Water solubility: (at 20 °C)	Immiscible	
Viscosity / kinematic: (at 40 °C)	> 20,5 mm²/s	
Flow time: (at 23 °C)	> 100 s	Flow time in a 6 mm cup
Solvent content:	< 40 %	
9.2. Other information		

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide, carbon dioxide, sulphur oxides, and nitrogen oxides (NOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

Irritation and corrosivity

Causes skin irritation. Eye irritation: Not classified.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Naphtha (petroleum) [Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclic compounds, < 3% n-hexane]), (Naphtha (petroleum) [Hydrocarbons, C6, isoalkanes, < 3% n-hexane])

Severe effects after repeated or prolonged exposure Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. (Ethylene thiourea)

Revision date: 19.06.2015 Revision No: 2,02 Product code: 00156-0124



Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Contact with eyes may cause irritation.

Components of the product may be absorbed into the body through the skin. (skin absorption).

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Attention. Beware, danger of aspiration!

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available. Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Hazardous water pollutant.

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

080409

Where possible recycling is preferred to disposal. Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances Classified as hazardous waste.

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be

taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID) 14.1. UN number: UN 1133 44.0. UN service chinesian service Adhesing

14.2. UN proper shipping name:	Adhesives	

Revision No: 2,02

TIP TOP RUBBER EASY REP

Revision date: 19.06.2015 Product code: 00156-0124



REMA

<u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	3 III 3
Classification code: Limited quantity: Excepted quantity: Transport category: Hazard No: Tunnel restriction code: Inland waterways transport (ADN)	F1 5 L / 30 kg E1 3 33 D/E
14.1. UN number:14.2. UN proper shipping name:14.3. Transport hazard class(es):14.4. Packing group:	UN 1133 Adhesives 3 III
Hazard label: Classification code: Limited quantity:	3 F1 5 L / 30 kg
Excepted quantity: Marine transport (IMDG) <u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u>	E1 UN 1133 Adhesives 3
14.4. Packing group: Hazard label:	
Marine pollutant: Limited quantity: Excepted quantity: EmS: Other applicable information (marine transp	Yes 5 L E1 F-E, S-D
Receptacle max. 30 L, IMDG Code subsection Air transport (ICAO)	n 2.3.2.3
<u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u>	UN 1133 Adhesives 3
<u>14.4. Packing group:</u> Hazard label:	
Limited quantity Passenger: Passenger LQ: Excepted quantity:	10 L Y344 E1

Revision date: 19.06.2015	Revision No: 2,02
Product code: 00156-0124	



IATA-packing instructions - Passenger:		355
IATA-max. quantity - Passenger:		30 L (*)
IATA-packing instructions - Cargo:		366
IATA-max. quantity - Cargo:		30 L (*)
Other applicable information (air transport) *) [3.3.3.1 IATA DGR]		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	yes	

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information		
2004/42/EC (VOC):	< 40 %	
National regulatory information		
Employment restrictions:	Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.	
Water contaminating class (D): Additional information	2 - water contaminating	
Chemical prohibition regulation consider.		
15.2. Chemical safety assessment		
For this substance a chemical safety assessment has not been carried out.		
Abbreviations and acronyms ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods IATA/ICAO = International Air Transport Association / International Civil Aviation Organization MARPOL = International Convention for the Prevention of Pollution from Ships		
ADN = Accord européen relatif au transport ir IMDG = International Maritime Code for Dang IATA/ICAO = International Air Transport Assoc	nternational des marchandises dangereuses par voie de navigation intérieure erous Goods ciation / International Civil Aviation Organization	
ADN = Accord européen relatif au transport ir IMDG = International Maritime Code for Dang IATA/ICAO = International Air Transport Assoc MARPOL = International Convention for the P IBC-Code = International Code for the Constr GHS = Globally Harmonized System of Class REACH = Registration, Evaluation, Authoriza CAS = Chemical Abstract Service EN = European norm	nternational des marchandises dangereuses par voie de navigation intérieure erous Goods ciation / International Civil Aviation Organization Prevention of Pollution from Ships ruction and Equipment of Ships Carrying Dangerous Chemicals in Bulk ification and Labelling of Chemicals tion and Restriction of Chemicals	
ADN = Accord européen relatif au transport ir IMDG = International Maritime Code for Dang IATA/ICAO = International Air Transport Assoc MARPOL = International Convention for the P IBC-Code = International Code for the Constr GHS = Globally Harmonized System of Class REACH = Registration, Evaluation, Authoriza CAS = Chemical Abstract Service	nternational des marchandises dangereuses par voie de navigation intérieure erous Goods ciation / International Civil Aviation Organization Prevention of Pollution from Ships ruction and Equipment of Ships Carrying Dangerous Chemicals in Bulk ification and Labelling of Chemicals tion and Restriction of Chemicals	

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H- and EUH-phrases (Number and full text)

H225Highly flammable liquid and vapour.H302Harmful if swallowed.

Revision date: 19.06.2015	Revision No: 2,02
Product code: 00156-0124	



H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H360D	May damage the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)