

according to Regulation (EC) No 1907/2006

### **TIP TOP TTSEAL XXL**

Revision date: 21.04.2017 Product code: 00156-0145 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

TIP TOP TTSEAL XXL

Art.-No.

514 9030, 593 1252, 593 1253, 593 1260

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Tyre sealing material

## 1.3. Details of the supplier of the safety data sheet

REMATIP TOP AG Company name: Street: Gruber Strasse 65 Place: D-85586 Poing Telephone: +49 (0) 8121 / 707 - 100

Responsible Department:

Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24 number:

24

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 4

Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements: Harmful if swallowed.

May cause damage to organs through prolonged or repeated exposure.

# 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

Ethane-1,2-diol Sodium nitrite

Signal word: Warning

Pictograms:





# Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P260 Do not breathe vapour.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container to in accordance with local and national regulations.



according to Regulation (EC) No 1907/2006

# TIP TOP TTSEAL XXL

Revision date: 21.04.2017 Product code: 00156-0145 Page 2 of 8

## Special labelling of certain mixtures

EUH208 Contains Methylisothiazolin-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic

reaction.

## 2.3. Other hazards

Not known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Aqueous solution

## **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to F	Regulation (EC) No. 1272/2008 [	CLP]		
107-21-1	Ethane-1,2-diol				
	203-473-3	603-027-00-1	01-2119456816-28		
	Acute Tox. 4, STOT RE 2; H	I302 H373	•		
7632-00-0	Sodium nitrite	< 1 %			
	231-555-9	007-010-00-4	01-2119471863-27		
	Ox. Sol. 3, Acute Tox. 3, Aq				
2682-20-4	Methylisothiazolin-3-one	< 0.1 %			
	220-239-6				
	Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 2; H330 H301 H314 H318 H317 H400 H411				
2634-33-5	1,2-benzisothiazol-3(2H)-one				
	220-120-9	613-088-00-6			
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400				

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

## After contact with skin

Wash off with soap and plenty of water.

## After contact with eyes

If eye irritation persists, consult a specialist.

Rinse immediately with plenty of water, also under the eyelids.

# After ingestion

Induce vomiting only upon the advice of a physician.

Immediately give plenty of water (if possible charcoal slurry).

Summon a doctor immediately.





according to Regulation (EC) No 1907/2006

### **TIP TOP TTSEAL XXL**

Revision date: 21.04.2017 Product code: 00156-0145 Page 3 of 8

#### 4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

May cause damage to organs through prolonged or repeated exposure. [kidney]

May cause an allergic skin reaction.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

Sand

## Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx)

## 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

#### Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective clothing.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

## 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

# 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Keep container tightly closed.

Avoid contact with the skin and the eyes.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.





according to Regulation (EC) No 1907/2006

## **TIP TOP TTSEAL XXL**

Revision date: 21.04.2017 Product code: 00156-0145 Page 4 of 8

## Advice on storage compatibility

Incompatible with oxidizing agents.

## Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

## 7.3. Specific end use(s)

Tyre sealing material

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

## 8.2. Exposure controls

## Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

## Protective and hygiene measures

Avoid contact with eyes and skin.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

### Eye/face protection

Safety goggles with side protection (EN 166).

## Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

## Skin protection

Long sleeved clothing (EN 368).

# Respiratory protection

No personal respiratory protective equipment normally required.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Viscous
Colour: Black
Odour: Mild

Test method

pH-Value: 8 - 10

Changes in the physical state

Melting point: < 0 °C



according to Regulation (EC) No 1907/2006

Т	IP 1	ГОР	TTSEAL	_ XXL

Revision date: 21.04.2017 Product code: 00156-0145 Page 5 of 8

Initial boiling point and boiling range: approx. 100 °C

Flash point: n.a.

Lower explosion limits: n.d.

Ignition temperature: n.d.

Vapour pressure: approx. 23 hPa

Density (at 20 °C): 1,1 g/cm³
Water solubility: Partially miscible

Vater solubility: Partially miscib (at 20 °C)

Solvent content: < 40 %

## 9.2. Other information

No data available.

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No decomposition if stored and applied as directed.

## 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

## 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Heating can release vapours which can be ignited.

# 10.5. Incompatible materials

Strong oxidizing agents.

## 10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx).

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Acute toxicity**

Harmful if swallowed.

No toxicological data available.

Sodium nitrite

LD50/oral/rat: 180 mg/kg

Ethane-1,2-diol

LD50/oral/rat: 5840 mg/kg LD50/dermal/rabbit: 9530 mg/kg

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

### TIP TOP TTSEAL XXL

Revision date: 21.04.2017 Product code: 00156-0145 Page 6 of 8

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Ethane-1,2-diol)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### **Practical experience**

#### Other observations

Inhalation of vapours may cause mild irritation to the mucous membrane.

Repeated or prolonged exposure may cause irritation of eyes and skin.

May cause sensitization of susceptible persons by skin contact.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecological data are not available.

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

# 12.6. Other adverse effects

Low hazard to waters.

### **Further information**

Ecological injuries are not known or expected under normal use.

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

## Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

## Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

	TIP	TOP	TTSE	AL	XXL
--	-----	-----	------	----	-----

Revision date: 21.04.2017 Product code: 00156-0145 Page 7 of 8

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

# Other applicable information

No hazardous material as defined by the transport regulations.

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU regulatory information** 

2004/42/EC (VOC): 0 %

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**





according to Regulation (EC) No 1907/2006

## **TIP TOP TTSEAL XXL**

Revision date: 21.04.2017 Product code: 00156-0145 Page 8 of 8

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

## Relevant H and EUH statements (number and full text)

reaction.

H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains Methylisothiazolin-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic

# **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)