



// ONE BRAND // ONE SOURCE // ONE SYSTEM



// SERVICE // MATERIAL PROCESSING // SURFACE PROTECTION // AUTOMOTIVE

TYRE PRESSURE MONITORING SYSTEMS
2017 EDITION




REMA TIP TOP

Diagnostics and Tyre Pressure Monitoring Systems

Backed by over ten years of experience in TPMS tyre pressure monitoring systems, REMA TIP TOP has built a diagnostics and TPMS product portfolio that goes much further than simply supplying parts: REMA TIP TOP is a top source when it comes to diagnostics and TPMS system solutions.

To find the sensor required for a specific car easily and conveniently, please refer to our up-to-date TPMS sensor database
→ <http://www.tiptoptpms.com>



DIAGNOSTICS AND PROGRAMMING DEVICES

The highly specialised REMA TIP TOP diagnostics and programming device range covers all needs and requirements of a fast moving market. Using state of the art technology, all devices can be enhanced and upgraded to meet the constantly growing requirements of a challenging market in the future.

With its Android-based platform, the PROFILER AXONE for example can be extended with various upgrade packages from a sheer TPMS diagnostics tool to a full EOBD diagnostics tool. That way, the device can easily be developed according to the growing demands of your customers. You can comfortably add required functions via download/update!

The features of the PROFILER devices will also stay up to date in the future.

REMA TIP TOP

Diagnostics and Tyre Pressure Monitoring Systems

ACCESSORIES PROFILER TPS AND PROFILER AXONE

With the Bluetooth thermal printer, the TPMS diagnostics results can be printed quickly and easily:

- Sensor ID
- Pressure
- Temperature
- Battery state of the sensor battery

559 0350 **Option**



The Bluetooth printer is wirelessly operated via Bluetooth on PROFILER TPS and all PROFILER AXONE devices. Equipped with a lithium battery, the printer can also easily be used as a portable device.



559 0300

Ref. No.	Description	suitable for:	
		Profiler TPS	Profiler AXONE
559 0350	Bluetooth printer	X	X
Device upgrades			
559 0260	Upgrade of PROFILER AXONE TPS to PROFILER AXONE S FAST FIT		X
559 0315	Upgrade of PROFILER AXONE S to PROFILER AXONE S Plus FULL DIAGNOSTICS CAR		X
Software updates			
559 0155	12 months of update service of the TPMS database	X	X
559 0320	12 months of update service of the TPMS and diagnostics database FAST FIT		X
559 0325	12 months of update service of the TPMS/diagnostics database FULL DIAGNOSTICS CAR		X
Support hotline			
559 0300	TEX@INFO 12 months of access to support hotline FAST FIT		X
559 0335	TEX@INFO 12 months of access to support hotline FULL DIAGNOSTICS CAR		X

REMA TIP TOP Diagnostics and Tyre Pressure Monitoring Systems

HAMATON ATEQ 46

Besides the standard parameters sensor ID, pressure, temperature and battery status, the PROFILER TPM II/TPM II Plus offers additionally the possibility of programming the common universal sensor systems. The database contains more than 1200 vehicles



ATEQ H46 DIAGNOSTIC TOOL



- CAN BE UPGRADED TO ALL SENSORS
- OBD UPGRADE OPTION AT ADDITIONAL COST

H46 Features

- The Hamaton H46 is a robust, upgradable diagnostic tool which provides indirect, manual, and auto relearn procedure information.
- The H46 configures EU-Pro sensors within seconds and has the option to add other universal aftermarket sensors available.
- The H46 comes with user friendly navigation and command buttons as well as an interface in multiple languages.
- **The Hamaton H46 comes complete with:**
 - Easy to read 2.8" colour display
 - Hamaton H46 USB Cable
 - Frequent database updates via PC desktop software

FOR LATEST PROMO DEALS CONTACT SALES
0113 2770044 - PRESS OPTION 1

REMA TIP TOP Diagnostics and Tyre Pressure Monitoring Systems

HAMATON ATEQ 36

Besides the standard parameters sensor ID, pressure, temperature and battery status, the PROFILER TPM II/TPM II Plus offers additionally the possibility of programming the common universal sensor systems. The database contains more than 1200 vehicles



ATEQ H36 DIAGNOSTIC TOOL



- CAN BE UPGRADED TO ALL SENSORS
- NO OBD OPTION

H36 Features

- The Hamaton H36 is a low cost, robust, and easy to use starter diagnostic tool. The H36 configures EU-Pro sensors within seconds and has the option to add other universal aftermarket sensors available.
- The H36 comes with user friendly navigation and command buttons as well as an interface in multiple languages.
- The Hamaton H36 activates and reads TPMS sensors of all European and American vehicle brands, Provides Hamaton TPMS sensor part numbers, Displays all sensor data: ID, tyre pressure, tyre temperature and battery status.

FOR LATEST PROMO DEALS CONTACT SALES
0113 2770044 - PRESS OPTION 1

REMA TIP TOP

Diagnostics and Tyre Pressure Monitoring Systems

PROFILER TPM II/PROFILER TPM II PLUS

Besides the standard parameters sensor ID, pressure, temperature and battery status, the PROFILER TPM II/TPM II Plus offers the possibility of programming the common universal sensor systems. The database contains more than 1200 vehicles from the European fleet!

Due to its upgradeable hardware you are able to enhance the basic PROFILER TPM II to EOBD functionality and a TPM II Plus variant at any time. In combination with the included 12 months of update service, the PROFILER TPM II/TPM II Plus is absolutely future-proof.

PROFILER TPM II

- Specially designed to meet the demands of professional tyre services
- Quick and easy to use
- Extensive databases for TPMS diagnostics and for the programming of universal sensors
- Database containing tightening torques, spare parts numbers, service kits and technical data
- Wireless communication with PC via Bluetooth
- Printing of reports
- Includes 12 months of software updates for all databases
- Includes carrying and storage case

PROFILER TPM II Plus

Additional features of the Plus Version:

- OBD kit included
- Data readings (pressure, temperature, sensor ID, battery state) via OBD
- Simple teach-in of new sensors at the press of a button
- Sensor/ECU programming via EOBD (sensor IDs, pressure thresholds, summer/winter, etc.)
- Fault code deletion via EOBD

Scope of delivery

- PROFILER TPM II device
- 12 months of update service
- Carrying and storage case
- OBD cable and OBD diagnostic database (PROFILER TPM II Plus)



FOR LATEST PROMO DEALS CONTACT SALES

0113 2770044 - PRESS OPTION 1

Ref. No.	Description	Features
559 0800	PROFILER TPM II	TPMS diagnostics and programming
559 0810	PROFILER TPM II Plus	TPMS diagnostics and programming incl. EOBD
559 0840	OBD kit, optional for PROFILER TPM II	Upgrade to EOBD features

REMA TIP TOP

Diagnostics and Tyre Pressure Monitoring Systems

UNIVERSAL SENSORS

The range of programmable universal sensors offered exclusively by REMA TIP TOP includes premium products. With the up-to-date TPMS sensor database, the required sensor for any vehicle can be identified quickly and easily:

→ <http://www.tiptoptpms.com>

EU-PRO

- Configurable sensor system
- Configuration in less than 4 seconds
- With only 2 sensor types, 800 vehicles can be covered
- Works with most common 434 MHz vehicles applications
- Sensor with rubber valve is limited to a max speed of 210 km/h

Scope of delivery

- 1 sensor including valve
- Installation instructions
- Fixture



562 8517



562 8524

Ref. No.	Description	Sensor torque	Valve torque	Wheel type	Frequency	Adjustable angle	Content
562 8517	EU-PRO 1 sensor clamp-in incl. valve	1,4 Nm	4,0 Nm	Steel/alloy	433 MHz	N.A.	1 kit
562 8678	EU-PRO 2 sensor clamp-in incl. valve	1,4 Nm	4,0 Nm	Steel/alloy	433 MHz	N.A.	1 kit
562 8524	EU-PRO 1 sensor snap-in incl. valve	1,4 Nm	N.A.	Steel/alloy	433 MHz	N.A.	1 kit
562 8685	EU-PRO 2 sensor snap-in incl. valve	1,4 Nm	N.A.	Steel/alloy	433 MHz	N.A.	1 kit

SENS.IT

- Programmable sensor system
- A large variety of original TPMS sensors can be replaced using just this one sensor type with selectable valves
- Sensor with rubber valve is limited to a max. speed of 210 km/h

Scope of delivery

- 1 sensor including valve
- Installation instructions



562 3931



562 3946

Ref. No.	Description	Sensor torque	Valve torque	Wheel type	Frequency	Adjustable angle	Content
562 3831	sens.it TPMS sensor RS3 clamp-in	3,3 Nm	3,3 Nm	Steel/alloy	433 MHz	12°-40°	1 sensor
562 3946	sens.it TPMS sensor RS4 clip pin	N.A.	N.A.	Steel/alloy	433 MHz	N.A.	1 sensor

Matching valves

562 3838	sens.it TPMS clamp-in valve kit silver	3,3 Nm	3,3 Nm	Steel/alloy	433 MHz	12°-40°	1 kit
562 3845	sens.it TPMS clamp-in valve kit black	3,3 Nm	3,3 Nm	Steel/alloy	433 MHz	12°-40°	1 kit
562 3852	sens.it TPMS clamp-in valve kit titan grey	3,3 Nm	3,3 Nm	Steel/alloy	433 MHz	12°-40°	1 kit
562 3859	sens.it TPMS clamp-in valve kit chrome	3,3 Nm	3,3 Nm	Steel/alloy	433 MHz	12°-40°	1 kit
623 936	sens.it TPMS snap-in valve clip pin	N.A.	N.A.	Steel/alloy	433 MHz	N.A.	1 kit

REMA TIP TOP Diagnostics and Tyre Pressure Monitoring Systems

The integration of different diagnostic packages on the same device allows users to extend their services and expand their business step by step.

The following diagnostic packages upgrade the device from an entry-level model to a full diagnostic tool:

FAST FIT - focus on service and maintenance

With its functions in the areas of repair, maintenance and service, the version „FAST FIT“ is tailor-made specifically to meet the needs of businesses that focus on service and maintenance. With this diagnostic package, the device can perform the specific operations of the following areas in detail:

- Automatic error scan
- Motor (incl. EOBd diagnostics)
- Air conditioning/heating
- Service reset
- Battery/starter
- Instruments
- Headlights/tail lights/indicators
- Steering and steering column
- Ride/suspension



559 0300

Of course, fundamental functions like PARAMETERS, ERRORS, STATES, ECU INFO, ACTIVATIONS and SETTINGS are easily accessible by simply swiping left or right.

FULL DIAGNOSTICS CAR - complete diagnostic functions for comprehensive diagnosis

In addition to the TPMS and FAST FIT functions, the FULL DIAGNOSTICS CAR package enables full access to all ECU installed in the car.

- | | |
|---|--|
| <ul style="list-style-type: none"> • Automatic error scan • Motor (full access) • Airbag • Driver assistance systems • Automatic transmission • Comfort systems • Telematics systems • Keyless go | <p>Scope of delivery</p> <ul style="list-style-type: none"> • PROFILER AXONE diagnostic device • TPS key, TPMS antenna • Navigator Nano S EOBd adaptor • 12 months of update service • Hotline access for 12 months (from PROFILER AXONE S) • Carrying and storage case |
|---|--|

All PROFILER AXONE packages include 12 months of update service. From version AXONE S „FAST FIT“, a 12-month access to the support hotline is also part of the package!

Ref. No.	Description	Features
559 0300	PROFILER AXONE S	TPMS and FAST FIT diagnostics
559 0315	Upgrade PROFILER AXONE S full diagnostics	TPMS and FULL DIAGNOSTICS CAR

REMA TIP TOP

Diagnostics and Tyre Pressure Monitoring Systems

TPMS SERVICE KITS

Besides universal and OEM replacement sensors, REMA TIP TOP also offers the service kits that are required for servicing TPMS valves and TPMS sensors as an OE or aftermarket variant.

According to the manufacturers, whenever tyres are changed, TPMS valves have to be serviced and wear parts such as seals and fixtures have to be replaced.

Each service kit contains all necessary replaceable components such as:

- Valve body/valve stem
- Valve core
- Fittings, nuts, screws
- Valve caps
- Gaskets

561 1050



REMA TIP TOP TPMS SERVICE KIT BOX

REMA TIP TOP TPMS service kits are made from the highest quality materials according to OE standards. The unique anti-corrosion technology protects them perfectly against weather and environmental influences.

The service kit box contains 36 of the most common types of service kits as well as 25 TPMS valve cores and valve caps each.

Ref. No.	Description
562 8461	Box Of 10 Replacement Valves for 65567-68
562 8468	Box of 10 Replacement Valve for 65731
562 8475	Box Of 10 Replacement Valves for 43171
562 8482	Box Of 10 Replacement Valves for 43148
562 8489	Box of 10 Replacement Valve for 66086
562 8496	Box Of 10 Replacement Valves for TG1B
562 8503	Box Of 100 TPMS Valve Cores
562 8510	Box Of 100 TPMS Valve Caps
562 8545	TPMS Clamp-in Valve for EU-Pro (Ctn10) (6-230F)
562 8552	TPMS Snap-in Valve for EU-Pro (Ctn10) (6-209LB)
562 8517	TPMS EU-Pro Sensor Clamp-in
562 8524	TPMS EU-Pro Sensor Snap-in
562 3838	Valve Car Clamp-in Silver TPMS (Sens-It)
562 3845	Valve Car Clamp-in Black TPMS (Sens-It)

Ref. No.	Description	Features
561 1050	Service kit box	36 Service Kits, 10 Bolt-in Valves, 2 Rubber Valves, 25 High-Pressure Valve Caps, 25 Nickel Valve Cores

REMA TIP TOP

Diagnostics and Tyre Pressure Monitoring Systems

REMA TIP TOP SERVICE KITS

Available for the most common sensor and valve types.

- High-quality materials
- Manufactured according to OE Standards
- Protected perfectly against weather and environmental influences.



TPMS Tool Kits

When installing and servicing TPMS sensors and valves it is imperative to observe the torque tightening and fitting instructions of the manufacturers. Considering the different torques, attachment designs and fitting details, a kit of special TPMS hand tools is a must.

Ref. No.	Description
562 8538	Premium TPMS Tool Kit Calibrated Torque Tool 12mm, 11mm & 7mm Sockets T20, T15 & T10 TorxBits T6 TorxDriver Torque Valve Core Remover Grommet Removal Tool



REMA TIP TOP

Diagnostics and Tyre Pressure Monitoring Systems

TPMS TOOLS

When installing and servicing TPMS sensors and valves, it is imperative to observe the torque tightening and fitting instructions of the manufacturers. Considering the different torques, attachment designs and fitting details, a kit of special TPMS hand tools is indispensable.

REMA TIP TOP recommends the professional Premium TPMS tool kit.

- High-quality TPMS tool kit
- Contains the most common, frequently used TPMS tools
- When mounting and servicing sensor installations, always observe the torque specifications and instructions of the manufacturers!



562 3997

Scope of delivery

- 1 1/4" torque wrench 2-10 Nm with certificate, recalibratable
- 1 torque screwdriver 1.4 Nm
- 1 valve insertion tool 0.25 Nm
- 1 valve insertion tool 0.45 Nm
- 1 hex spanner socket, extra deep, SW 11
- 1 hex spanner socket, extra deep, SW 12
- 1 torx T10 screwdriver bit
- 1 torx T15 screwdriver bit
- 1 torx T20 screwdriver bit
- 1 torx bit T10
- 1 torx bit T15
- 1 torx bit T20
- 1 torque screwdriver without blade
- 1 interchangeable blade 1/4" external square adapter with ball retention
- 1 adapter 1/4" from hexagon to square
- 1 grommet removal tool

Ref. No.	Description	Comment
562 8566	Premium TPMS tool kit	

For the complete product portfolio of specialiSed TPMS tools, please refer to our online product catalogue

→ <http://www.tiptoptpms.com>



Aftermarket Equipment Supplier of the Year

WINNER



Your local partner



// ONE BRAND // ONE SOURCE // ONE SYSTEM

- // SERVICE
- // MATERIAL PROCESSING
- // SURFACE PROTECTION
- // AUTOMOTIVE

REMA TIP TOP AUTOMOTIVE UK LIMITED
Westland Square · Leeds · West Yorkshire · LS11 5XS
Phone: +44 (0)113 277 0044
Fax: +44 (0)113 277 2139
info@tip-top.co.uk
www.rema-tiptop.co.uk



Printed in United Kingdom

