

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Asplit® Powder Fine Gray/White

Revision date: 14.11.2019

Product code: 00359-1189

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Asplit® Powder Fine Gray/White

**Art.-No.**

592 0560, 592 0570

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture**

filler

### 1.3. Details of the supplier of the safety data sheet

Company name:	TIP TOP Oberflächenschutz Elbe GmbH	
Street:	Heuweg 4	
Place:	D-06886 Wittenberg	
Telephone:	+49(0)3491/635-50	Telefax: +49(0)3491/635-552
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de	

**1.4. Emergency telephone number:**

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Regulation (EC) No. 1272/2008**

Hazard categories:  
Specific target organ toxicity - repeated exposure: STOT RE 1  
Hazard Statements:  
Causes damage to organs through prolonged or repeated exposure.

### 2.2. Label elements

**Regulation (EC) No. 1272/2008**

**Hazard components for labelling**

Quartz

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H372 Causes damage to organs (lung) through prolonged or repeated exposure if inhaled.

**Precautionary statements**

P260 Do not breathe dust.  
P270 Do not eat, drink or smoke when using this product.  
P314 Get medical advice/attention if you feel unwell.

### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Asplit® Powder Fine Gray/White**

Revision date: 14.11.2019

Product code: 00359-1189

Page 2 of 8

**Chemical characterization**

Mixture of the following substances with non-hazardous admixtures

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
14808-60-7	Quartz			< 90 %
	231-545-4			
	STOT RE 1; H372			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove and wash contaminated clothing before re-use.

**After inhalation**

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.

In the event of symptoms refer for medical treatment.

**After contact with skin**

No specific precautions required.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If eye irritation persists, consult a specialist.

**After ingestion**

In the event of symptoms refer for medical treatment.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes damage to organs through prolonged or repeated exposure. [lung]

When dust is produced, slight irritations of eyes and mucous membranes are possible.

Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Product does not burn, fire-extinguishing activities according to surrounding.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

No data available

**5.3. Advice for firefighters**

In case of fire, wear suitable respiratory equipment with positive air supply.

Protective suit.

**Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Asplit® Powder Fine Gray/White

Revision date: 14.11.2019

Product code: 00359-1189

Page 3 of 8

#### SECTION 6: Accidental release measures

##### **6.1. Personal precautions, protective equipment and emergency procedures**

In case of respirable dust, use a self-contained breathing apparatus.  
Ensure adequate ventilation.  
Use personal protective clothing.

##### **6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.

##### **6.3. Methods and material for containment and cleaning up**

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.  
Where possible recycling is preferred to disposal.

##### **6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).  
Information for disposal see section 13.

#### SECTION 7: Handling and storage

##### **7.1. Precautions for safe handling**

###### **Advice on safe handling**

Keep container tightly closed.  
Avoid the formation and deposition of dust.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

###### **Advice on protection against fire and explosion**

No special protective measures against fire required.

##### **7.2. Conditions for safe storage, including any incompatibilities**

###### **Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.

###### **Hints on joint storage**

No materials to be especially mentioned.

###### **Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

##### **7.3. Specific end use(s)**

filler

#### SECTION 8: Exposure controls/personal protection

##### **8.1. Control parameters**

###### **Additional advice on limit values**

Obey TLV for common dust, if applicable.

##### **8.2. Exposure controls**

###### **Appropriate engineering controls**

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

###### **Protective and hygiene measures**

Do not breathe dust.  
Wash hands before breaks and at the end of workday.  
When using do not eat, drink or smoke.  
Remove and wash contaminated clothing before re-use.

###### **Eye/face protection**

Safety goggles with side protection (EN 166).

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Asplit® Powder Fine Gray/White**

Revision date: 14.11.2019

Product code: 00359-1189

Page 4 of 8

**Hand protection**

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

**Skin protection**

Long sleeved clothing (DIN EN ISO 6530)

**Respiratory protection**

Dust mask (EN 149)

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state: Powder  
Colour: Grey / White  
Odour: Odourless

**Test method**

pH-Value: n.d.

**Changes in the physical state**

Melting point: n.d.  
Initial boiling point and boiling range: n.d.  
Sublimation point: n.a.  
Softening point: n.d.  
Flash point: n.a.

**Flammability**

Solid: Not combustible  
Gas: n.a.

**Explosive properties**

The product is not explosive.

Lower explosion limits: n.a.  
Upper explosion limits: n.a.  
Ignition temperature: n.a.

**Auto-ignition temperature**

Solid: The product is not self-igniting  
Gas: n.a.

Decomposition temperature: n.d.

**Oxidizing properties**

Not oxidising.

Vapour pressure: n.d.

Density: n.d.

Bulk density (at 20 °C): approx. 1550 kg/m<sup>3</sup> DIN 53466

Water solubility:  
(at 20 °C) More or less insoluble

**Solubility in other solvents**

n.d.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Asplit® Powder Fine Gray/White

Revision date: 14.11.2019

Product code: 00359-1189

Page 5 of 8

Partition coefficient:	n.d.
Viscosity / dynamic:	n.a.
Viscosity / kinematic:	n.a.
Flow time:	n.a.
Vapour density:	n.d.
Evaporation rate:	n.d.
Solvent separation test:	0 %
Solvent content:	0 %

#### **9.2. Other information**

Solid content:	100 %
----------------	-------

### SECTION 10: Stability and reactivity

#### **10.1. Reactivity**

No decomposition if stored and applied as directed.

#### **10.2. Chemical stability**

Stable under normal conditions.

#### **10.3. Possibility of hazardous reactions**

No hazardous reactions known.

#### **10.4. Conditions to avoid**

Not known.

#### **10.5. Incompatible materials**

No materials to be especially mentioned.

#### **10.6. Hazardous decomposition products**

No hazardous decomposition products known.

### SECTION 11: Toxicological information

#### **11.1. Information on toxicological effects**

##### **Acute toxicity**

Based on available data, the classification criteria are not met.  
No toxicological data available.

##### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

##### **Sensitising effects**

Based on available data, the classification criteria are not met.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

##### **STOT-single exposure**

Based on available data, the classification criteria are not met.

##### **STOT-repeated exposure**

Causes damage to organs through prolonged or repeated exposure. (Quartz )

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

##### **Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Asplit® Powder Fine Gray/White

Revision date: 14.11.2019

Product code: 00359-1189

Page 6 of 8

#### Practical experience

#### **Other observations**

When dust is produced, slight irritations of eyes and mucous membranes are possible.  
Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

### SECTION 12: Ecological information

#### **12.1. Toxicity**

Ecological data are not available.

#### **12.2. Persistence and degradability**

No data available

#### **12.3. Bioaccumulative potential**

No data available

#### **12.4. Mobility in soil**

No data available

#### **12.5. Results of PBT and vPvB assessment**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

#### **12.6. Other adverse effects**

No data available

#### **Further information**

Do not flush into surface water or sanitary sewer system.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.  
Where possible recycling is preferred to disposal.

##### **List of Wastes Code - residues/unused products**

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

##### **Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.  
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.  
Packaging that cannot be cleaned should be disposed of like the product.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

- |  |  |
|--|--|
| <b>14.1. UN number:</b>                  | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b>    | No dangerous good in sense of this transport regulation. |
| <b>14.3. Transport hazard class(es):</b> | No dangerous good in sense of this transport regulation. |
| <b>14.4. Packing group:</b>              | No dangerous good in sense of this transport regulation. |

#### **Inland waterways transport (ADN)**

- |                                       |  |
|---------------------------------------|--|
| <b>14.1. UN number:</b>               | No dangerous good in sense of this transport regulation. |
| <b>14.2. UN proper shipping name:</b> | No dangerous good in sense of this transport regulation. |

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Asplit® Powder Fine Gray/White**

Revision date: 14.11.2019

Product code: 00359-1189

Page 7 of 8

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 0 %  
Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
IMDG = International Maritime Code for Dangerous Goods  
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization  
MARPOL = International Convention for the Prevention of Pollution from Ships  
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**Asplit® Powder Fine Gray/White**

Revision date: 14.11.2019

Product code: 00359-1189

Page 8 of 8

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

**Relevant H and EUH statements (number and full text)**

H372 Causes damage to organs (lung) through prolonged or repeated exposure if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*