

according to Regulation (EC) No 1907/2006

Asplit® VFD Powder

	ASpill® VED FO	waer	
Revision date: 05.09.2017	Product code: 00359	9-1214	Page 1 of 7
SECTION 1: Identification of t	he substance/mixture and of the co	ompany/undertaking	
1.1. Product identifier			
Asplit ® VED Powder			
ArtNo.			
592 1000			
1.2. Relevant identified uses of the	ne substance or mixture and uses adv	ised against	
Use of the substance/mixture			
filler			
1.3. Details of the supplier of the	<u>safety data sheet</u>		
Company name:	TIP TOP Oberflaechenschutz Elb	e GmbH	
Street:	Heuweg 4		
Place:	D-06886 Wittenberg		
Telephone:	+49(0)3491/635-50	Telefax: +49(0)3491/635-55	52
Responsible Department:	Responsible for the safety data s	heet: sds@gbk-ingelheim.de	
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 6132	2 - 84463, GBK GmbH (24h - 7d/w - 365d/	a)
number:	England and Wales: NHS Direct -	0845 4647; Scotland: NHS 24 - 08454 24	4 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Specific target organ toxicity - repeated exposure: STOT RE 2 Hazard Statements: May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.

24

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling Quartz

Signal word:

Warning





Hazard statements

H373

May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.

Precautionary statements

Journally Statement	
P260	Do not breathe dust.
P285	In case of inadequate ventilation wear respiratory protection.
P314	Get medical advice/attention if you feel unwell.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

Asplit® VED Powder

Revision date: 05.09.2017

Product code: 00359-1214

Page 2 of 7

Chemical characterization

Mixture of the following substances with non-hazardous admixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
14808-60-7	-60-7 Quartz			< 5 %	
	231-545-4				
	STOT RE 1; H372				

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove and wash contaminated clothing before re-use.

After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. In the event of symptoms refer for medical treatment.

After contact with skin

Wash hands with water as a precaution.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

After ingestion

In the event of symptoms refer for medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

May cause damage to organs through prolonged or repeated exposure. [lung] When dust is produced, slight irritations of eyes and mucous membranes are possible. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

No data available.

5.3. Advice for firefighters

In case of fire, wear suitable respiratory equipment with positive air supply. Protective suit.

Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



according to Regulation (EC) No 1907/2006

Asplit® VED Powder

Revision date: 05.09.2017

Product code: 00359-1214

Page 3 of 7

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of respirable dust, use a self-contained breathing apparatus. Ensure adequate ventilation.

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Where possible recycling is preferred to disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Avoid the formation and deposition of dust. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Advice on storage compatibility

No materials to be especially mentioned.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

filler

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
409-21-2	Silicon carbide (not whiskers), respirable	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

Additional advice on limit values

Obey TLV for common dust, if applicable.

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

Asplit® VED Powder

Revision date: 05.09.2017

Product code: 00359-1214

Page 4 of 7

Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Protective and hygiene measures Do not breathe dust.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

Eye/face protection

Safety goggles with side protection (EN 166).

Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

Skin protection

Long sleeved clothing (EN 368).

Respiratory protection

Dust mask (EN 149)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Powder		
Colour:	Grey		
Odour:	Odourless		
			Test method
Changes in the physical state			
Flash point:		n.a.	
Lower explosion limits:		n.a.	
Upper explosion limits:			
Ignition temperature:		n.a.	
Bulk density (at 20 °C):		1,35 kg/m³	
Water solubility: (at 20 °C)		More or less insoluble	
0.2. Other information			

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known.



according to Regulation (EC) No 1907/2006

Asplit® VED Powder

Revision date: 05.09.2017

Product code: 00359-1214

Page 5 of 7

10.4. Conditions to avoid

Not known.

10.5. Incompatible materials

No materials to be especially mentioned.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs (lung) through prolonged or repeated exposure if inhaled. (Quartz)

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

When dust is produced, slight irritations of eyes and mucous membranes are possible. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Do not flush into surface water or sanitary sewer system.



according to Regulation (EC) No 1907/2006

Asplit® VED Powder

Revision date: 05.09.2017

Product code: 00359-1214

Page 6 of 7

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

080299

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Where possible recycling is preferred to disposal.

Waste disposal number of waste from residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	no
14.6. Special precautions for user	

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information



Safety Data Sheet

a to Regulation (EC) No 1907/2006 din

evision date: 05.09.2017		Produc	ct code: 00359-1214	F	Dage 7 o
1 Safety health and e	nvironmental I	regulations/legisla	tion specific for the subst	ance or mixture	
EU regulatory informa		logalation of logicia			
2004/42/EC (VOC):		0 %			
National regulatory in	formation	0 70			
Employment restriction		Observe res	trictions to employment for	juvenils according to the 'juvenile	
Employment restriction	5.	work protect	ion guideline' (94/33/EC). Caternity Protection Directive	Observe employment restrictions (92/85/EEC) for expectant or	
Water contaminating c	ass (D):	-	ater contaminating		
.2. Chemical safety as	sessment				
For this substance	a chemical safe	ety assessment has	s not been carried out.		
ECTION 16: Other inf	ormation				
Abbreviations and ac	ronyms				
	-	transport internatio	onal des marchandises Dan	gereuses par Route	
	-				
			al ferroviaire de marchandis		
	-			gereuses par voie de navigation inté	erieure
IMDG = Internation	al Maritime Co	de for Dangerous G	Goods		
IATA/ICAO = Interr	ational Air Trar	nsport Association /	International Civil Aviation	Organization	
MARPOL = Interna	tional Conventi	on for the Prevention	on of Pollution from Ships	-	
			•	rying Dangerous Chemicals in Bulk	
			and Labelling of Chemical	5	
REACH = Registra	tion, Evaluation	n, Authorization and	Restriction of Chemicals		
CAS = Chemical A					
EN = European no	rm				
ISO = Internationa		or Standardization			
DIN = Deutsche In					
PBT = Persistent E		and Tayla			
vPvB = Very Persis	stent and very E	Sio-accumulative			
LD = Lethal dose	atuatian				
LC = Lethal concer					
EC = Effect concer					
IC = Median Immol	silisation conce	ntration or median i	nhibitory concentration		
Relevant H and EUH s					
H372	Causes dar	mage to organs thre	ough prolonged or repeated	exposure.	
H373	May cause	damage to organs	(lung) through prolonged o	r repeated exposure if inhaled.	
Further Information					
Data of items 4 to 8	3, as well as 10	to 12, do partly not	t refer to the use and the reg	gular employing of the product	
(in this sense cons	ult information of	on use and on prod	uct), but to liberation of maj	or amounts in case of	
accidents and irreg	ularities.				
The information de	scribes exclusiv	vely the safety requ	irements for the product(s)	and is based on the present	
level of our knowle			. ()	·	
	-	ntained in the corre	sponding product sheet.		
			racteristics of the product(s) as defined by the legal	
warranty regulation					
(n.a. = not applicat		etermined)			