Revision date: 20.05.2016 Product code: 00359-1197

### Revision No: 1,1



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Asplit® FQ Solution Art.-No. 592 0300

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	
Mortar	

### 1.3. Details of the supplier of the safety data sheet

Company name: TIP TOP Oberflaechenschutz Elbe GmbH	
Street:	Heuweg 4
Place:	D-06886 Wittenberg
Telephone:	+49(0)3491/635-50
Telefax:	+49(0)3491/635-552
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de
<u>1.4. Emergency telephone</u> number:	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a) England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24 24

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories: Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 4 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1 Carcinogenicity: Carc. 2 Specific target organ toxicity - single exposure: STOT SE 3 Specific target organ toxicity - repeated exposure: STOT RE 2 Hazard Statements: Toxic if inhaled. Harmful if swallowed or in contact with skin. May cause respiratory irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

#### Hazard components for labelling

Furfuryl alcohol

Signal word: Pictograms:

Danger



# Hazard statements

H331	Toxic if inhaled.
H302+H312	Harmful if swallowed or in contact with skin.
H335	May cause respiratory irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

Revision date: 20.05.2016	
Product code: 00359-1197	

Revision No: 1,1



#### Precautionary statements

P405	Store locked up.
P308+P313	IF exposed or concerned: Get medical advice/attention.
	present and easy to do. Continue rinsing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302+P352	IF ON SKIN: Wash with plenty of water.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe vapour.
P202	Do not handle until all safety precautions have been read and understood.
i ioouullonuly olulon	

#### 2.3. Other hazards

Not known.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# Chemical characterization

Furan resin formulation

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification according t	o Regulation (EC) No. 1272/2008 [0	CLP]	
98-00-0	Furfuryl alcohol			< 50 %
	202-626-1	603-018-00-2	01-2119493965-18	
	Carc. 2, Acute Tox. 3, Ac H302 H312 H319 H335 H		STOT SE 3, STOT RE 2; H351 H331	

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Remove contaminated soaked clothing immediately.

Symptoms of poisoning may not occur for many hours, therefore keep under medical supervision for at least 48 hours.

In the event of persistent symptoms receive medical treatment.

### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products. In the event of symptoms refer for medical treatment.

#### After contact with skin

Wash off immediately with soap and plenty of water. Consult a doctor if skin irritation persists.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical treatment by eye specialist.

# After ingestion

Rinse mouth.

Never give anything by mouth to an unconscious person. Summon a doctor immediately. Induce vomiting only upon the advice of a physician.

# 4.2. Most important symptoms and effects, both acute and delayed

Toxic by inhalation. Harmful in contact with skin and if swallowed. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Causes serious eye irritation.

#### Asplit® FQ Solution Revision date: 20.05.2016

Product code: 00359-1197

Revision No: 1,1



May cause an allergic skin reaction. May cause respiratory irritation.

**<u>4.3. Indication of any immediate medical attention and special treatment needed</u> Treat symptoms.** 

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

# Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire may produce: Carbon monoxide and carbon dioxide

# 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

#### Additional information

Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator. Ensure adequate ventilation. Use personal protective clothing. Remove persons to safety.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water. Do not discharge into the subsoil/soil. Clean contaminated surface thoroughly.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

#### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

# Advice on safe handling

Keep container tightly closed. Use only in thoroughly ventilated areas. Do not breathe vapours. Avoid contact with skin, eyes and clothing.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

#### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place. Protect against direct sun radiation.

#### Advice on storage compatibility

Incompatible with acids.

### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

Revision date: 20.05.2016 Revision No: 1,1 Product code: 00359-1197



### 7.3. Specific end use(s)

### Mortar

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
98-00-0	Furfuryl alcohol (OLD)	-	-		TWA (8 h)	CHAN
		-	-		STEL (15 min)	CHAN

#### 8.2. Exposure controls

# Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

#### Protective and hygiene measures

Do not inhale vapours.

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

# Eye/face protection

Tightly fitting goggles (EN 166). Eye wash bottle with pure water (EN 15154).

#### Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

### Skin protection

Long sleeved clothing (EN 368).

### **Respiratory protection**

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

erri internation en suele prijelear and errein		
Physical state:	Liquid	
Colour:	Dark brown	
Odour:	characteristic	
Changes in the physical state		
Initial boiling point and boiling range:	171 °C	*)
Flash point:	75 °C	*)
Lower explosion limits:	16,3 vol. %	*)
Upper explosion limits:	1,8 vol. %	*)
Ignition temperature:	> 390 °C	*)
Density (at 20 °C):	1,1 g/cm³	
Water solubility: (at 20 °C)	Immiscible	
Viscosity / dynamic: (at 25 °C)	1430 mPa·s	
9.2. Other information		

Revision No: 1.1

### Asplit® FQ Solution Revision date: 20.05.2016

Product code: 00359-1197

No data available.

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No decomposition if stored and applied as directed.

# 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with strong acids.

#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat. Protect against direct sun radiation.

# 10.5. Incompatible materials

Acids.

#### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity

Toxic if inhaled. Harmful if swallowed or in contact with skin. No toxicological data available.

### Irritation and corrosivity

Causes serious eye irritation. Skin corrosion/irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

May cause an allergic skin reaction.

# STOT-single exposure

May cause respiratory irritation. (Furfuryl alcohol)

# Severe effects after repeated or prolonged exposure

May cause damage to organs through prolonged or repeated exposure. (Furfuryl alcohol)

# Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Furfuryl alcohol) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

# Practical experience

**Other observations** Attention. Beware, danger of aspiration!

# SECTION 12: Ecological information

# 12.1. Toxicity

Ecological data are not available. 12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.



Revision date: 20.05.2016 Product code: 00359-1197 Revision No: 1,1



### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

### 12.6. Other adverse effects

Low hazard to waters.

#### Further information

Do not flush into surface water or sanitary sewer system.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

080409

Can be incinerated, when in compliance with local regulations. Where possible recycling is preferred to disposal.

#### Waste disposal number of waste from residues/unused products

WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances Classified as hazardous waste.

#### Contaminated packaging

Contaminated packagings are to be treated like the product itself.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 2874
14.2. UN proper shipping name:	FURFURYL ALCOHOL, Solution
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	111
Hazard label:	6.1
	6
Classification code:	T1
Limited quantity:	5 L / 30 kg
Excepted quantity:	E1
Transport category:	2
Hazard No:	60
Tunnel restriction code:	E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 2874
14.2. UN proper shipping name:	FURFURYL ALCOHOL, Solution
14.3. Transport hazard class(es):	6.1
14.4. Packing group:	III
Hazard label:	6.1
	6

Safety Data Sheet according to Regulation (EC) No 1907/2006 REMA   TIP TOP Oberflaechenschutz Elbe GmbH No 1907/2006		
Asplit® FQ Solution Revision date: 20.05.2016 Product code: 00359-1197	Revision No: 1,1	
Classification code: Limited quantity: Excepted quantity:	T1 5 L / 30 kg E1	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 2874	
14.2. UN proper shipping name:	FURFURYL ALCOHOL, SOLUTION	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:		
Hazard label: Marine pollutant: Limited quantity:	6.1 6 No 5 L / 30 kg E1	
Excepted quantity: EmS:	ET F-A, S-A	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN 2874	
14.2. UN proper shipping name:	FURFURYL ALCOHOL, SOLUTION	
14.3. Transport hazard class(es):	6.1	
14.4. Packing group:	III	
Hazard label:	6.1 6	
Limited quantity Passenger: Passenger LQ: Excepted quantity:	2 L Y642 E1	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	655 60 L 663 220 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user Handle in accordance with good industrial	hygiene and safety practice.	
<b>14.7. Transport in bulk according to Ann</b> The transport takes place only in approved		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental re	egulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	0 %	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile	
	work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
Water contaminating class (D): Additional information	1 - slightly water contaminating	

Revision date: 20.05.2016 Product code: 00359-1197





# 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)