

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

ASPLIT OC Inhibitor 1

**Art.-No.**

592 0680

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Auxiliary agent

### 1.3. Details of the supplier of the safety data sheet

Company name: TIP TOP Oberflächenschutz Elbe GmbH

Street: Heuweg 4

Place: D-06886 Wittenberg

Telephone: +49(0)3491/635-50

Telefax: +49(0)3491/635-552

Responsible for the safety data sheet: sds@gbk-ingelheim.de

### 1.4. Emergency telephone

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

#### number:

England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24  
24

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Indications of danger: C - Corrosive, N - Dangerous for the environment

R phrases:

Causes burns.

May cause sensitisation by skin contact.

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### GHS classification

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Respiratory/skin sensitization: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Hazardous components which must be listed on the label

4-tert-butylpyrocatechol

Signal word:

Danger

Pictograms:

GHS05-GHS07-GHS09



#### Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P260 Do not breathe vapour.



**ASPLIT OC Inhibitor 1**

00359-1201

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P273 Avoid release to the environment.

**2.3. Other hazards**

Not known.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

**Chemical characterization**

Mixture of the following substances with non-hazardous admixtures

**Hazardous components**

EC No	Chemical name	Quantity
CAS No	Classification	
Index No	GHS classification	
REACH No		
202-653-9	4-tert-butylpyrocatechol	7 - 13 %
98-29-3	C - Corrosive, Xn - Harmful, N - Dangerous for the environment R21/22-34-43-50-53	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H312 H302 H314 H317 H400 H410	
01-2119548368-28		

Full text of R and H phrases: see Section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

Remove contaminated soaked clothing immediately.  
 Call a physician immediately.

**After inhalation**

Move to fresh air in case of accidental inhalation of vapours.  
 If patient is not breathing, apply artificial respiration.  
 Call a physician immediately.

**After contact with skin**

In case of contact with skin wash off immediately with plenty of water.  
 Seek medical treatment immediately.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
 Seek medical treatment by eye specialist.

**After ingestion**

Do not induce vomiting.  
 Rinse out mouth and give plenty of water to drink.  
 Never give anything by mouth to an unconscious person.  
 Summon a doctor immediately.  
 Induce vomiting only upon the advice of a physician.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes severe skin burns and eye damage.  
 May cause an allergic skin reaction.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

**SECTION 5: Firefighting measures**

---

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Alcohol-resistant foam, dry chemical, carbon dioxide (CO<sub>2</sub>), water-spray.

#### **Unsuitable extinguishing media**

Full water jet.

### **5.2. Special hazards arising from the substance or mixture**

Fire may produce:

Carbon monoxide and carbon dioxide.

### **5.3. Advice for firefighters**

Use breathing apparatus with independent air supply.

Protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

---

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

### **6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.

Clean contaminated surface thoroughly.

### **6.3. Methods and material for containment and cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

### **6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Keep container tightly closed.

Handle and open container with care.

Handle in accordance with good industrial hygiene and safety practice.

Use only in thoroughly ventilated areas.

#### **Advice on protection against fire and explosion**

Keep away from heat and sources of ignition.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.

#### **Advice on storage compatibility**

Incompatible with:

Strong oxidizing agents

strong acids and strong bases.

#### **Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

### **7.3. Specific end use(s)**

Auxiliary agent

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**



---

## **8.2. Exposure controls**

### **Appropriate engineering controls**

Ensure adequate ventilation, especially in confined areas.

### **Protective and hygiene measures**

Wash hands before breaks and immediately after handling the product.

When using, do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

### **Eye/face protection**

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

### **Hand protection**

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

### **Skin protection**

Long sleeved clothing (EN 368).

### **Respiratory protection**

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 141).

---

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	clear
Odour:	Soft
pH-Value:	Neutral
Melting point:	- 30 °C
Flash point:	> 100 °C
Lower explosion limits:	n.d.
Upper explosion limits:	
Vapour pressure: (at 20 °C)	n.d.
Density (at 25 °C):	0,945 g/cm <sup>3</sup>
Water solubility:	Miscible
Ignition temperature:	n.d.
Viscosity / dynamic: (at 20 °C)	10,4 mPa·s

### **9.2. Other information**

No data available.

---

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

No decomposition if stored and applied as directed.

### **10.2. Chemical stability**

Stable under normal conditions.

### **10.3. Possibility of hazardous reactions**

Reactions with acids, alkalies and oxidizing agents

#### **10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

#### **10.5. Incompatible materials**

oxidizing agents

Acids and bases.

#### **10.6. Hazardous decomposition products**

Carbon monoxide and carbon dioxide.

---

### **SECTION 11: Toxicological information**

#### **11.1. Information on toxicological effects**

##### **Acute toxicity**

Based on available data, the classification criteria are not met.

4-tert-butylpyrocatechol

LD50/oral/rat: 815 mg/kg

LD50/dermal/rat: 1331 mg/kg

LC50/inhalation: No data available.

##### **Irritation and corrosivity**

Causes severe skin burns and eye damage.

##### **Sensitising effects**

May cause an allergic skin reaction. (4-tert-butylpyrocatechol)

##### **STOT-single exposure**

Based on available data, the classification criteria are not met.

##### **Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

##### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

##### **Aspiration hazard**

Based on available data, the classification criteria are not met.

##### **Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

---

### **SECTION 12: Ecological information**

#### **12.1. Toxicity**

Ecological data are not available.

Toxic to aquatic life with long lasting effects.

4-tert-butylpyrocatechol

LC50/Brachydanio rerio/96 h = 0,12 mg/l

EC50/Daphnia magna/48 h = 0,48 mg/l

EC50/Pseudokirchneriella subcapitata/72 h = 10,17 mg/l

EC50/Activated sludge = 16 mg/l

#### **12.2. Persistence and degradability**

No data available.

#### **12.3. Bioaccumulative potential**

No data available.

#### **12.4. Mobility in soil**

No data available.

#### **12.5. Results of PBT and vPvB assessment**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

#### **12.6. Other adverse effects**

Severe hazard to waters

#### **Further information**

Do not flush into surface water or sanitary sewer system.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

#### Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other dangerous substances  
Classified as hazardous waste.

#### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.


Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

## SECTION 14: Transport information

### Land transport (ADR/RID)


**14.1. UN number:** UN1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8



Classification code: C9  
 Limited quantity: 1 L / 30 kg  
 Transport category: 2  
 Hazard No: 80  
 Tunnel restriction code: E

### Inland waterways transport (ADN)

**14.1. UN number:** UN1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8



Classification code: C9  
 Limited quantity: 1 L / 30 kg

### Marine transport (IMDG)

**14.1. UN number:** UN1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8

**ASPLIT OC Inhibitor 1**

00359-1201



Marine pollutant: Yes  
Limited quantity: 1 L / 30 kg  
EmS: F-A, S-B

**Air transport (ICAO)**

**14.1. UN number:** UN1760  
**14.2. UN proper shipping name:** CORROSIVE LIQUID, N.O.S. (4-tert-butylpyrocatechol)  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
Hazard label: 8



Limited quantity Passenger: Y840 / 0.5 L  
IATA-packing instructions - Passenger: 851  
IATA-max. quantity - Passenger: 1 L  
IATA-packing instructions - Cargo: 855  
IATA-max. quantity - Cargo: 30 L

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: yes



**14.6. Special precautions for user**

Handle in accordance with good industrial hygiene and safety practice.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

The transport takes place only in approved and appropriate packaging.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

1999/13/EC (VOC): 0 %

**National regulatory information**

Employment restrictions: Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information**

**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
IMDG = International Maritime Code for Dangerous Goods  
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization  
MARPOL = International Convention for the Prevention of Pollution from Ships



**ASPLIT OC Inhibitor 1**

00359-1201

---

IBC = Code International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

**Full text of R phrases referred to under Sections 2 and 3**

21/22 Harmful in contact with skin and if swallowed.

34 Causes burns.

43 May cause sensitisation by skin contact.

50 Very toxic to aquatic organisms.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

53 May cause long-term adverse effects in the aquatic environment.

**Full text of H statements referred to under Sections 2 and 3**

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*