REMATIP TOP AG

Revision date: 01.04.2014 Revision No: 2,0



00156-0383



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

TIP TOP OCEAN BALANCING COMPOUND

Art.-No.

566 0190

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Granular polymer to reduce vibration from the tire / wheel assembly of trucks.

### 1.3. Details of the supplier of the safety data sheet

Company name: REMA TIP TOP AG
Street: Gruber Strasse 63
Place: D-85586 Poing
Telephone +49 (0) 8121 / 707 - 0
Verantwortlich für das Sicherheitsdatenblatt: sds@gbk-ingelheim.de

<u>1.4. Emergency telephone</u> INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

24

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

This mixture is not classified as hazardous according to Directive 1999/45/EC.

## **GHS** classification

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

## 2.2. Label elements

## Additional advice on labelling

The product does not require a hazard warning label in accordance with EC directives/the relevant national laws.

## 2.3. Other hazards

Not known.

### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

#### **Chemical characterization**

Preparation based on polymers.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## General information

Remove contaminated soaked clothing immediately.

If you feel unwell, seek medical advice.

## After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.

In the event of persistent symptoms receive medical treatment.

## After contact with skin

Wash with water and soap as a precaution.

## After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If eye irritation persists, consult a specialist.

#### After ingestion

Rinse out mouth and give plenty of water to drink.

Consult a physician.

REMATIP TOP AG

Revision date: 01.04.2014 Revision No: 2,0



00156-0383



Induce vomiting only upon the advice of a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation.

Inhalation of high dust concentrations can result in irritation of the respiratory system.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam, carbon dioxide (CO2), dry chemical, water-spray.

### Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Breathing apparatus (particle filter) only if dust is formed.

Avoid contact with skin, eyes and clothing.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

## 6.3. Methods and material for containment and cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Keep container tightly closed.

Avoid contact with the skin and the eyes.

Provide appropriate exhaust ventilation at places where dust is formed.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

## 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

## Advice on storage compatibility

Incompatible with oxidizing agents.

# Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

## 7.3. Specific end use(s)

REMATIP TOP AG

Revision date: 01.04.2014 Revision No: 2,0



00156-0383



Granular polymer to reduce vibration from the tire / wheel assembly of trucks.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice on limit values

Obey TLV for common dust, if applicable.

#### 8.2. Exposure controls

#### Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

## Protective and hygiene measures

Do not breathe dust.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

Avoid contact with eyes and skin.

#### Eye/face protection

Safety goggles with side protection (EN 166).

#### Hand protection

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

## Skin protection

Long sleeved clothing (EN 368).

## Respiratory protection

Breathing apparatus (particle filter) only if dust is formed.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Granule
Colour: Various
Odour: Soft
Flash point: n.d.
Lower explosion limits: n.d.

Upper explosion limits:

Density (at 20 °C): 1,5 g/cm³ Water solubility: insoluble

(at 20 °C)

Ignition temperature: n.d.

### 9.2. Other information

No data available.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No decomposition if stored and applied as directed.

### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

REMATIP TOP AG

Revision date: 01.04.2014 Revision No: 2,0

TIP TOP OCEAN BALANCING COMPOUND

00156-0383



#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Heating can release vapours which can be ignited.

#### 10.5. Incompatible materials

Strong oxidizing agents

### 10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO2) and nitrogen oxides (NOx).

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### Practical experience

### Other observations

Contact with eyes may cause irritation.

Inhalation of high dust concentrations can result in irritation of the respiratory system.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecological data are not available.

## 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

## 12.6. Other adverse effects

Low hazard to waters.

## **Further information**

Ecological injuries are not known or expected under normal use.

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

REMATIP TOP AG

Revision date: 01.04.2014 Revision No: 2,0

TIP TOP OCEAN BALANCING COMPOUND

00156-0383



## Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

#### Waste disposal number of waste from residues/unused products

070215

 ${\tt WASTES}\ {\tt FROM}\ {\tt ORGANIC}\ {\tt CHEMICAL}\ {\tt PROCESSES};\ {\tt wastes}\ {\tt from}\ {\tt the}\ {\tt MFSU}\ {\tt of}\ {\tt plastics},\ {\tt synthetic}\ {\tt rubber}$ 

and man-made fibres: wastes from additives other than those mentioned in 07 02 14

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

# **SECTION 14: Transport information**

Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO); Inland waterways transport (ADN)

#### 14.1. UN number:

No hazardous material as defined by the transport regulations.

### 14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

#### 14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

### 14.4. Packing group:

No hazardous material as defined by the transport regulations.

#### 14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

## 14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No hazardous material as defined by the transport regulations.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

1999/13/EC (VOC):

0 %

## **National regulatory information**

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

REMATIP TOP AG

Revision date: 01.04.2014 Revision No: 2,0



00156-0383



LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)