

according to Regulation (EC) No 1907/2006

### **REMAXX FLUID SPRAY**

Revision date: 07.04.2017 Product code: 00156-0365 Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

REMAXX FLUID SPRAY

Art.-No.

593 5640

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Agent to fit on tyres

### 1.3. Details of the supplier of the safety data sheet

Company name: REMA TIP TOP AG
Street: Gruber Strasse 65
Place: D-85586 Poing

Telephone: +49 (0) 8121 / 707 - 100

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24

24

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 3 Hazard Statements:

Pressurised container: May burst if heated.

## 2.2. Label elements

## **Regulation (EC) No. 1272/2008**

Signal word: Warning

**Hazard statements** 

H229 Pressurised container: May burst if heated.

**Precautionary statements** 

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

Not known.

### **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

### **Chemical characterization**

Aerosols / Aqueous solution

Propellant gas: compressed gas that is not subject to labelling provisions according to Regulation (EC) no. 1272/2008

## **SECTION 4: First aid measures**





according to Regulation (EC) No 1907/2006

#### REMAXX FLUID SPRAY

Revision date: 07.04.2017 Product code: 00156-0365 Page 2 of 8

### 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

In the event of persistent symptoms receive medical treatment.

#### After contact with skin

Wash off with soap and plenty of water.

Consult a doctor if skin irritation persists.

### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

### After ingestion

Rinse out mouth and give plenty of water to drink.

Never give anything by mouth to an unconscious person.

In the event of symptoms refer for medical treatment.

## 4.2. Most important symptoms and effects, both acute and delayed

May cause eye or skin irritation with susceptible persons.

Inhalation of vapours is irritating to the respiratory system, may cause throat pain and cough.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Foam, carbon dioxide (CO2), dry chemical, water-spray.

### Unsuitable extinguishing media

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

## 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

### **Additional information**

Cool containers at risk with water spray iet.

Heating will cause pressure rise with risk of bursting.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.





according to Regulation (EC) No 1907/2006

#### **REMAXX FLUID SPRAY**

Revision date: 07.04.2017 Product code: 00156-0365 Page 3 of 8

#### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

#### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

Avoid contact with the skin and the eyes.

Do not breathe spray mist.

Ensure adequate ventilation, especially in confined areas.

### Advice on protection against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Heating will cause pressure rise with risk of bursting.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

### Advice on storage compatibility

Incompatible with oxidizing agents.

## Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

## 7.3. Specific end use(s)

Agent to fit on tyres

#### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.2. Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

## Protective and hygiene measures

Do not breath vapours or spray mist.

Avoid contact with eyes and skin.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

## Eye/face protection

Safety goggles with side protection (EN 166).

## **Hand protection**

Protective gloves resistant to chemicals made off natural-rubber latex, minimum coat thickness 0.6 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Lapren 706> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.





according to Regulation (EC) No 1907/2006

#### REMAXX FLUID SPRAY

Revision date: 07.04.2017 Product code: 00156-0365 Page 4 of 8

### Skin protection

Long sleeved clothing (EN 368).

#### Respiratory protection

No personal respiratory protective equipment normally required.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Aerosol
Colour: Colourless
Odour: Mild

Test method

pH-Value: approx. 10 \*)

Changes in the physical state

Melting point: approx. 0 °C \*)
Initial boiling point and boiling range: approx. 100 °C \*)
Flash point: n.a.

Lower explosion limits: n.d.
Ignition temperature: n.d.

Density (at 20 °C): 1,03 g/cm³ \*)
Water solubility: Completely miscible (at 20 °C)

9.2. Other information

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No decomposition if stored and applied as directed.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

### 10.4. Conditions to avoid

Keep away from heat and sources of ignition.

## 10.5. Incompatible materials

oxidizing agents

## 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

<sup>\*)</sup> Informations concern to liquid phase.



according to Regulation (EC) No 1907/2006

### **REMAXX FLUID SPRAY**

Revision date: 07.04.2017 Product code: 00156-0365 Page 5 of 8

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### **Practical experience**

#### Other observations

May cause eye or skin irritation with susceptible persons.

Inhalation of vapours is irritating to the respiratory system, may cause throat pain and cough.

If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecological data are not available.

## 12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

#### 12.6. Other adverse effects

Low hazard to waters.

#### **Further information**

Ecological injuries are not known or expected under normal use.

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

## Waste disposal number of waste from residues/unused products

150111 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers; hazardous waste

#### Contaminated packaging

Offer empty spray cans to an established disposal company.



according to Regulation (EC) No 1907/2006

## **REMAXX FLUID SPRAY**

Revision date: 07.04.2017 Product code: 00156-0365 Page 6 of 8

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2



Classification code: 5A

Limited quantity: 1 L / 30 kg
Excepted quantity: E0
Transport category: 3
Tunnel restriction code: E

## Inland waterways transport (ADN)

**14.1. UN number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2



Classification code: 5A

Limited quantity: 1 L / 30 kg Excepted quantity: E0

### Marine transport (IMDG)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2



Marine pollutant:

Limited quantity:

Excepted quantity:

EmS:

No

1 L / 30 kg

E0

F-D, S-U

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2





according to Regulation (EC) No 1907/2006

#### REMAXX FLUID SPRAY

Revision date: 07.04.2017 Product code: 00156-0365 Page 7 of 8



Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU** regulatory information

2004/42/EC (VOC): 0 %

**National regulatory information** 

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration





according to Regulation (EC) No 1907/2006

## **REMAXX FLUID SPRAY**

Revision date: 07.04.2017 Product code: 00156-0365 Page 8 of 8

# Relevant H and EUH statements (number and full text)

H229 Pressurised container: May burst if heated.

#### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)